



AIR TECNO control unit - ATEX

Product description

The gas regulator and decompression control unit is installed near the flaming machine.The control unit has two 451 low pressure reducers, one for the oxygen line and one for the propane line, as well as four air pressure operated valves which, with the M0093 "AIR TECNO" electronic control box control the pilot flame, main flame and torch cooling water.

Maintenance kit

CODE	SPARES
M0002	CONTROL UNIT FILTER - O_2
M0002A	CONTROL UNIT FILTER - C_3H_8
M0002B	CONTROL UNIT FILTER - H_2O
C7339	REDUCER 451 - O_2
C7359	REDUCER 451 - C_3H_8
HM059	0-2.5 bar PRESSURE GAUGE
HM060	0-16 bar PRESSURE GAUGE
HM061	0-40 bar PRESSURE GAUGE
C0670	AIR PRESSURE OPERATED VALVE

Technical data

CODE	OXYGEN P_1 max.	OXYGEN P_2	PROPANE P_1 max.	PROPANE P_2
M0080	30 bar	2 - 5,5 bar	4 bar	0,5 - 1,2 bar

Behringer S.r.l. via Gualco 4, 16165 Genova ITALY
T +39 010 8309103 **F** +39 010 8309183 **e-mail** info@behringer.it **C.F.** e **P.I.** 01167840998