Elite flowmeter 0 - 15 l/min

CE
Organismo Notificato n. 0476
Notified Body nr. 0476

Product description

Area variable flowmeter with integrated switch; scale from 0-15 l / min; equipped with a diverter for selecting the desired oxygen output: dry from the hose connection or through the humidifier; it can be connected to the medical gas distribution plant through suitable couplings in accordance with the AFNOR NF S 90-116, DIN 13260-1, UNI 9507, BS 5682, SS, G 1/4 "M DX thread; also available with clamp in ABS for fixing on instrument bars with specific gas connection; the device allows, through the regulation of the needle valve, a flow from 0 to 15 l / min at a pressure of 4,5 bar.

Normatives

UNI EN ISO 9539 | NF S 90-116 | UNI 9507 | UNI EN ISO 15002 | DIN 13260-2 | UNI EN ISO 15001 | SS 8752430

Components

Chemically nickel-plated aluminum body.
AISI 316 stainless steel float.
N.One inlet with standard probe or G 1/4" M R thread.
N.One G 1/4" M R threaded outlet.
Brass adjuster knob with NYLON 6.6 terminal unit.
Swivel hose connection Ø6mm for dry oxygen.
Internal graduated rotary meter column and external MAKROLON 2458 polycarbonate column.
EPDM and silicon O-Ring.
ABS rail clamp
PVC medical hose Ø6x12.

Behringer S.r.l. via Gualco 4, 16165 Genova ITALY
T +39 010 8309103 **F** +39 010 8309183 **e-mail** info@behringer.it **C.F.** e **P.I.** 01167840998

Technical data

CODE	GAS	INLET CONNECTION	OUTLET CONNECTION.	Ø HOSE HOLDER	SCALE	BAR
HF085	O_2	G 1/4" M	G 1/4" M	Ø 6 mm	0-15 l/min	4,5
HF087	O_2	AFNOR NF S 90-116	G 1/4" M	Ø 6 mm	0-15 l/min	4,5
HF088	O_2	DIN 13260-2	G 1/4" M	Ø 6 mm	0-15 l/min	4,5
HF089	O_2	BS 5682	G 1/4" M	Ø 6 mm	0-15 l/min	4,5
HF089A	O_2	SS 8752430	G 1/4" M	Ø 6 mm	0-15 l/min	4,5
HF118	O_2 with rail bar 90° attachment and 1,5 m of hose	AFNOR NF S 90-116	G 1/4" M	Ø 6 mm	0-15 l/min	4,5
HF119	O_2 with rail bar 90° attachment and 1,5 m of hose	DIN 13260-2	G 1/4" M	Ø 6 mm	0-15 l/min	4,5
HF120	O_2 with rail bar 90° attachment and 1,5 m of hose	BS 5682	G 1/4" M	Ø 6 mm	0-15 l/min	4,5
HF120A	O_2 with rail bar 90° attachment and 1,5 m of hose	SS 8752430	G 1/4" M	Ø 6 mm	0-15 l/min	4,5

Technical Images

Behringer S.r.l. via Gualco 4, 16165 Genova ITALY
T +39 010 8309103 **F** +39 010 8309183 **e-mail** info@behringer.it **C.F.** e **P.I.** 01167840998

Technical Images





Behringer S.r.l. via Gualco 4, 16165 Genova ITALY
T +39 010 8309103 **F** +39 010 8309183 **e-mail** info@behringer.it **C.F.** e **P.I.** 01167840998