



# Medical gas devices

## LEAF SOCKET - AFNOR NF-S 90-116



Organismo Notificato n. 0476  
Notified Body nr. 0476

### Product description



The new LEAF AFNOR terminal units in agreement to the AFNOR standard meets the requirements of functionality, security, innovation and design; the socket has a brass body and a male clutch locking system with steel balls; the coupling flange with the base is adjustable to be able to position the terminal in the desired orientation; the fixing on the base block is simple and it has quick maintenance thanks to the change of one single pre-assembled cartridge; thanks to the incorporated NFC system, traceability is facilitated and the management of maintenance thanks to the MyBehringer App to be installed on your smartphone.

### Normatives

UNI EN ISO 9170-1 | NF S 90-116 | UNI CEI EN ISO 13485 | UNI EN ISO 15001 | FD S 90-119

### Components

- Socket and base made of CW614N chemically nickel-plated brass.
- Release ring nut.
- Stainless steel springs.
- EPDM perox O-Ring.

### Maintenance kit

CODE	GAS	DESCRIPTION
HK210AF06	Air-800 - O <sub>2</sub> /N <sub>2</sub> O (Mix1) - O <sub>2</sub> /N <sub>2</sub> (Mix 3)	AFNOR LEAF MAINTENANCE EQ diam. 6
HK210AF07	Air - CO <sub>2</sub> - N <sub>2</sub> O - O <sub>2</sub>	AFNOR LEAF MAINTENANCE EQ
HK210AF08	Air - O <sub>2</sub> - N <sub>2</sub> O	AFNOR LEAF MAINTENANCE EQ

## Technical data

CODE	GAS	FLOW RATE	MAXIMUM PRESSURE DROP	WEIGHT
HP301AFA4BEH	Air	40 l/min	0,15 bar	0.20 kg
HP301AFA8BEH	Air-800	350 l/min	0,70 bar	0.20 kg
HP301AFCDBEH	CO <sub>2</sub>	40 l/min	0,15 bar	0.20 kg
HP301AFM1BEH	MIX O <sub>2</sub> /N <sub>2</sub> O	40 l/min	0,15 bar	0.20 kg
HP301AFN4BEH	N <sub>2</sub>	40 l/min	0,15 bar	0.20 kg
HP301AFNOBEH	N <sub>2</sub> O	40 l/min	0,15 bar	0.20 kg
HP301AFOXBEH	O <sub>2</sub>	40 l/min	0,15 bar	0.20 kg
HP301AFVABEH	Vac	25 l/min	0,15 bar	0.20 kg

## Technical Images

