

Dispositivi Gas Medicali



Описание изделия



Действующие нормативы

NF S 90-116 | UNI 9507 | DIN 13260-2 | UNI EN ISO 10079-3 | BS 5682 | UNI EN ISO 15001 | SS 8752430

Технические данные

CODE	CONNECTION	TYPE	Q max.	RANGE	WEIGHT
HR060	G 1/4" M DX		80 l/min	-1000-0 mbar	0.65 kg
HR061A	AFNOR NF S 90-116		80 l/min	-1000-0 mbar	0.65 kg
HR083	DIN 13260-2		80 l/min	-1000-0 mbar	0.65 kg
HR057	BS 5682		80 l/min	-1000-0 mbar	0.65 kg
HR067	G 1/4" M DX		78 l/min	-600-0 mbar	0.65 kg
HR068A	AFNOR NF S 90-116		78 l/min	-600-0 mbar	0.65 kg
HR085	DIN 13260-2		78 l/min	-600-0 mbar	0.65 kg
HR090	BS 5682		78 l/min	-600-0 mbar	0.65 kg
HR074	G 1/4" M DX		52 l/min	-250-0 mbar	0.65 kg
HR075A	AFNOR NF S 90-116		52 l/min	-250-0 mbar	0.65 kg
HR087	DIN 13260-2		52 l/min	-250-0 mbar	0.65 kg
HR089	BS 5682		52 l/min	-250-0 mbar	0.65 kg
HR064	AFNOR NF S 90-116	Rail 90° with 1,5 m hose	80 l/min	-1000-0 mbar	0.65 kg
HR084	DIN 13260-2	Rail 90° with 1,5 m hose	80 l/min	-1000-0 mbar	0.65 kg
HR058	BS 5682	Rail 90° with 1,5 m hose	80 l/min	-1000-0 mbar	0.65 kg
HR071	AFNOR NF S 90-116	Rail 90° with 1,5 m hose	78 l/min	-600-0 mbar	0.65 kg
HR086	DIN 13260-2	Rail 90° with 1,5 m hose	78 l/min	-600-0 mbar	0.65 kg
HR090A	BS 5682	Rail 90° with 1,5 m hose	52 l/min	-250-0 mbar	0.65 kg

Технические данные

CODE	CONNECTION	TYPE	Q max.	RANGE	WEIGHT
HR078	AFNOR NF S 90-116	Rail 90° with 1,5 m hose	52 l/min	-250-0 mbar	0.65 kg
HR088	DIN 13260-2	Rail 90° with 1,5 m hose	52 l/min	-250-0 mbar	0.65 kg
HR089A	BS 5682	Rail 90° with 1,5 m hose	78 l/min	-600-0 mbar	0.65 kg

Технические иллюстрации



